
Index

- adic completion, 44
- Adjoint Isomorphism, 33
- affine
 - algebraic set, 326
 - coordinate ring, 326
 - n -space over a field, 321, 326
- Albert, A. A., 243, 608
- algebraic curve
 - abstract, 323
 - cuspidal cubic, 88, 301, 303, 598
 - hyperelliptic, 364, 495, 598, 603, 612
 - nodal cubic, 302, 338, 601, 612–614
 - étale covering, 495, 612, 614
 - points at infinity, 323, 325
- algebraic surface
 - cone, 89, 136, 210, 225, 242
 - example, 208, 212, 240, 379, 380, 431, 435, 436, 547
 - normal, 327
- algebraic variety
 - double cover of \mathbb{A}^n , 365
 - example, 327
- Amitsur cohomology, 191, 192, 197, 396, 398
 - agrees with Galois cohomology, 521
 - cocycle identities, 192
 - nonabelian, 192
- Amitsur complex, 177–180, 191, 389, 409, 433, 572
- Amitsur, S., 191
- annihilator ideal of a module, 9
- Antieau, B., 419, 426
- Artin Refinement Theorem, 399, 400
- Artin, M., 177, 398
- Artin-Schreier extension, 486, 491
- artinian ring, 76, 100, 102
- ascending chain condition, 76
- Auslander, B., 222, 430, 434
- Auslander, M., 115, 117, 221, 238, 243, 248, 426, 428, 543
- Azumaya algebra, 243–248
 - automorphism group, 280
 - characteristic polynomial of an element, 408
 - constant rank, 258
 - element of $\check{H}_{\text{et}}^1(R, \text{PGL}_n)$, 399
 - endomorphism is automorphism, 263
 - faithfully flat descent criterion, 298, 394
 - generically split, 434
 - homomorphism is one-to-one, 263
 - ideals, 246, 429
 - is a maximal order, 424
 - Jacobson radical, 246
 - local ring criterion, 299
 - locally split, 430, 431, 433, 435, 555
 - maximal order criterion, 425–427
 - norm map, 410
 - order in the Brauer group, 439
 - over a DVR, 428, 429
 - over a field, 258–263
 - over a henselian local ring, 388
 - rank of an element, 412–413
 - residue field criterion, 300
 - split, 255, 413, 507

- splitting ring, 254–257, 259, 261, 262, 272, 387–395, 408, 414, 416
 - faithfully flat étale, 388, 389, 394
 - Galois, 472, 499, 504, 523, 539
- stalks at height one primes criterion, 248
- trace map, 410
- twisted form of matrices, 395
- Azumaya, G., 243, 368, 376, 387, 497, 530

- Bass' Theorem, 585, 596
- bimodule over two rings, 23
- Binomial Theorem in characteristic p , 291, 296, 307
- Brauer equivalence, 252, 263–266
- Brauer group, 252–254
 - and Amitsur cohomology, 398–406
 - automorphism group acting on, 513
 - embeds into $\check{H}_{\text{ét}}^2(R, \mathbb{G}_m)$, 402–405
 - every finite abelian group is, 551, 599, 601–602
 - in characteristic p , 436–443
 - is p -divisible, 437, 438
 - is torsion, 417
 - modulo an ideal, 281–286, 441, 442
 - of a direct sum, 258
 - of a DVR, 428
 - of a field, 259
 - of a finite ring, 286, 380
 - of a global field, 608
 - of a graded ring, 544–545
 - of a henselian local ring, 530, 531
 - of a Laurent polynomial ring, 545–546, 551
 - of a local field, 607
 - of a nonnormal subring of $k[x, y]$, 602–605
 - of a normal algebraic surface, 431, 436, 520, 548–554
 - of a polynomial ring, 541–544
 - of a power series ring, 285
 - of a real curve, 598, 614
 - of a subring of a global field, 605–612
 - of an algebraic curve, 600, 614
 - of an artinian ring, 286
 - of an open subset of \mathbb{A}^2 , 547
 - of \mathbb{R} , 520, 607
 - of the ring of integers in a global field, 608–611, 614
 - relative, 255, 520
 - subgroup split by extension of ground field, 554
- Brauer, R., 243, 608

- C_1 field, 19, 21, 286, 411
- cartesian square, 42, 46, 586–593, 598–601, 603, 605, 613
- Cartier, P., 191
- category, 2, 5
 - equivalence, 4, 5, 49, 50, 52, 246, 253, 254, 258, 275, 276, 280, 358, 375, 448, 461, 504, 520, 589, 591, 592
- Cauchy sequence, 107
- Cayley-Hamilton Theorem, 180
 - for an Azumaya algebra, 389, 408, 409
- Čech cohomology, 395–398
- central algebra, 82
- central simple algebra, 137–139, 258
- centralizer of A in M , 117
- Chan, K., 426
- change of base, 25
 - Azumaya algebra, 247
 - crossed products, 466, 503
 - étale algebra, 338
 - faithfully flat, 75
 - faithfully flat base change, 80
 - finitely presented algebra, 337
 - formally smooth algebra, 341
 - Galois extension, 449, 466
 - rank of a projective, 67
 - separable algebra, 125
- characteristic polynomial
 - of an endomorphism, 179
- Chase, S., 497, 513
- Childs, L., 398, 404, 591, 610
- Claborn, L., 87
- class group
 - and Galois cohomology, 236, 238, 363, 364
 - functor, 208, 210, 233–242
 - of a cone, 210
 - of a Laurent polynomial ring, 242
 - of a normal algebraic surface, 208, 212, 366, 494, 548–554
 - of a polynomial ring, 234
 - of a real circle, 211
 - of a regular domain, 239, 240
 - of a UFD, 207
 - of an A_{n-1} singularity, 211, 379
 - of projective fractional ideals, 231, 232

- of reflexive fractional ideals, 226–242
- of Weil divisors, 206–213
- Cohen-Seidenberg Theorem, 104
- cohomological dimension, *see also*
 - global cohomological dimension
- Commutator Theorem, 249–251, 256, 257, 264, 266, 391, 426, 438, 440
- complete topological space, 107, 281, 284
- completion of a module, 106, 114
- composition series, 78
- conductor ideal, 87, 88, 302, 365, 412, 422, 429, 598–603, 610
- connected ring, 63
- corestriction, 557–584
 - and Amitsur cohomology, 571–577
 - and Čech cohomology, 573
 - and crossed products, 578
 - and Galois cohomology, 577–580
 - and Galois descent, 568–571
 - and generalized crossed products, 581–583
 - applications, 566–568
 - of a module, 558
 - on Brauer groups, 567, 612, 614
 - on Picard groups, 566, 612
- crossed product, 498–500, 510, 536, 537
 - cyclic, 525–531, 538, 539, 614
 - differential, 303–308, 440
 - Galois, 445–447, 466–468, 498–501, 512, 520
 - generalized, 501–512
 - generalized cyclic, 532–541
 - homomorphism, 497, 500, 520
 - trivial, 447, 467, 520
- Crossed Product Theorem, 513, 523, 529, 531, 541
- Davis, E., 611
- Dedekind domain, 227
- DeMeyer, F., 131, 285, 600
- depth of a module, 201
- derivation on an algebra, 287–291, 294–296, 308
 - extension, 292–294, 304, 440
 - inner, 290
 - standard, 304
- descending chain condition, 76
- descent datum, 183
- determinant of an endomorphism, 180
- diagonal morphism, 302
- direct limit, 38
 - of henselian local rings, 384
 - of noetherian rings, 335
- directed system, 38
- Dirichlet's Unit Theorem, 609
- discrete valuation ring, 205, 206
- Double Centralizer Theorem, 251, 253, 263, 425
- dual basis, 6, 58, 149, 153
- dual module, 6, 14, 37, 47, 216, 274
- elementary p -algebra, 305–308, 440, 441, 529
- Embedding Theorem, 468–473, 475, 478, 483, 558, 560, 571
- enveloping algebra, 116
- enveloping homomorphism, 116, 139, 244, 245
- étale algebra, 336–361, 363, 373
 - category of étale algebras, 375
 - in a neighborhood, 351, 355
 - is formally étale, 346
 - jacobian criterion, 346
 - local, 360, 385
 - modulo the nil radical, 357
 - on an open set, 338
 - Raynaud construction, 346–348, 374
 - standard, 317, 350, 351, 355
- étale neighborhood, 359
 - connected, 359, 381–383
- extension of a ring by a module, 292, 295, 313, 342
- factor set, 161, 446, 466, 498, 499, 502–505, 508–510, 512, 517, 518, 526, 534, 541, 581
- faithful module, 9
- faithfully flat descent, 177, 188
 - of algebras, 186
 - of elements, 178
 - of homomorphisms, 180
 - of modules, 183
 - Theorem of Faithfully Flat Descent, 183, 185–187, 196, 564, 565
- faithfully flat module, 52, 70
- fiber product category, 589
- fiber product diagram, *see also*
 - cartesian square
- filtration of a module, 106, 111
- finite presentation
 - algebra, 272, 336–353
 - module, 7, 27, 76, 83, 85, 214
- finitely generated

- algebra, 2, 301
- module, 2, 5
- finiteness theorem for inverse limits, 331, 334
- finiteness theorem for the integral
 - closure, 152, 213, 236, 322–324, 421, 533, 599, 600, 606, 610, 611
- flat module, 25, 27, 85
 - flatness criteria, 331
 - not projective, 58
- formally étale, 155, 156
 - is étale, 346
- formally smooth, 155, 339–346
 - faithfully flat descent criterion, 344
 - is flat, 340
 - jacobian criterion, 345
 - local ring criterion, 343
 - localization is, 341
- formally unramified, 155, 312, 313
- fractional ideal, 226
 - invertible, 226, 232
 - reflexive, 228–230, 232
- free module, 5
- functor
 - contravariant, 3
 - covariant, 3
 - essentially surjective, 4
 - faithful, 36
 - fully faithful, 4
 - homotopy, 234, 235, 544
 - left exact, 4
 - naturally equivalent, 4
 - right exact, 4
- Fundamental Theorem of Galois
 - Theory, 462–466, 469, 472, 473, 478, 493, 522
- Fundamental Theorem of Infinite Galois
 - Theory, 484
- G -module, 159
 - induced, 164, 167, 171
- Gabber’s Theorem, 404, 544, 546
- Galois cohomology, *see also* group cohomology
- Galois descent, 459–462, 558
 - of Azumaya algebras, 462
 - of invertible modules, 462
- Galois extension, 447–456, 466
 - cyclic, 486–492, 525–541, 548, 550
 - in characteristic p , 531
 - faithfully flat descent criterion, 449
 - induced, 456–459
 - Morita equivalence, 448, 461
 - of a henselian local ring, 467
 - product of two extensions, 467
 - trivial extension, 448, 520
 - various criteria, 450
- Gauss’ Lemma, 104
- generator module, 7, 26, 47, 51, 245, 559
 - change of base, 25, 80
 - equivalent condition, 8, 36
- global cohomological dimension, 202
- global field, 605–612
- gluing, 136, 495, 599, 613
 - two lines at a point, 136
- going down, 105, 200
- going up, 105
- Goldman element, 414, 416
- Goldman, O., 115, 117, 221, 238, 243, 248, 415, 426, 428, 543
- graded
 - module, 110–112, 330
 - ring, 110, 112, 330, 535, 540
- Grothendieck, A., 177, 191, 243, 404, 600, 608
- group algebra, 1, 2, 120–122, 144, 159, 416, 455, 459
- group cohomology, 159, 160, 170, 191, 521
 - and the Brauer group, 523
 - cocycle identities, 162, 163, 168
 - corestriction homomorphism, 166
 - inflation homomorphism, 165, 169, 172, 523, 525
 - restriction homomorphism, 165, 166
- Harrison product, 488, 491, 493
- Harrison, D., 479, 488, 497, 513
- Hasse invariant, 605, 607, 608, 610
- Hasse, H., 243, 608
- height of an ideal, 200
- Hensel’s Lemma, 376
- henselian local ring, 368–379
- henselization of a local ring, 381–384, 387
- Hilbert’s Theorem 90, 170, 237, 513
- Hilbert-Serre Criterion for Regularity, 203
- Hochschild cohomology, 188, 191
 - and derivations, 296
- Hochschild, G., 188, 438
- Hom Tensor Relation, 33–35

- homomorphism of graded R -modules, 110
 Hoobler, R., 428, 544
 idempotent functor, 112, 114, 156, 157, 347, 348, 358, 369, 370, 372–374, 376, 379
 integral extension, 103
 integrally closed, 103
 inverse limit, 41
 inverse system, 41
 invertible bimodule, 275
 invertible module, 86

 Jacobson radical, 91, 94, 100, 109, 113, 145, 234, 285
 Jacobson, N., 306
 Janusz, G., 148

 Kähler differentials, 308–312, 316, 317
 first fundamental exact sequence, 310, 318
 second fundamental exact sequence, 312, 317, 319, 325, 341, 345
 Kanzaki, T., 274, 497, 501
 Knus, M.-A., 177, 591
 Kronecker delta function, 5, 152, 154, 412, 421, 454, 477, 569
 Krull dimension, 200
 Krull domain, 206
 Kummer extension, 120, 122, 123, 155, 445, 486, 487, 492, 498, 520, 528, 553
 Kummer Sequence, 491, 494, 546, 547, 550
 algebraic surface, 494
 Laurent polynomial ring, 494
 polynomial extension, 494
 Kummer Theory, 486–491

 lattice, 213–226
 length of a module, 78
 Li, H., 602
 linear topology on a module, 106
 local field, 606
 local homomorphism of local rings, 11
 local ring, 11
 Local to Global Property, 54–58
 for Azumaya algebras, 391–394
 for reflexive lattices, 222–224
 localization of a module, 53
 locally free module of finite rank, 83, 84
 locally of finite type, 301

 Magid, A., 479
 Maschke's Theorem, 144
 maximal commutative subalgebra, 255, 256, 258, 261, 262, 389
 maximal ideal spectrum, 58
 Mayer-Vietoris Sequence, 89, 585, 591–600
 McKenzie, T., 142, 474, 483
 Milnor's Theorem, 585–591
 minimal left ideal, 12
 module
 direct summand of a ring, 11–13, 62, 63, 96, 97, 130, 133, 413, 429
 quotient, 87, 118, 215
 with twisted action, 277, 279, 561, 563, 569, 577
 Mori's Theorem, 234, 380
 Morita Theorem, 47, 49, 52, 245, 253, 274, 275, 278, 461

 Nagata's Theorem, 208–211, 233, 234, 240, 241, 432, 495, 550
 Nakayama's Lemma, 9–11, 30, 31, 65, 66, 92–94, 96, 99, 110, 112, 113, 146, 148, 157, 283, 285, 300, 314, 353, 355, 371, 391, 424, 429, 475
 Nakayama, T., 530
 nil radical, 59
 Noether's Normalization Lemma, 200, 320, 323, 326
 Noether, E., 243, 608
 noetherian reduction, 267–274
 of a Galois extension, 456, 467
 of a splitting ring, 272
 of an Azumaya algebra, 268
 noetherian ring, 76
 norm map, 15, 19, 22, 410
 normal ring, 105
 norms of modules and algebras, 561–566

 Ojanguren, M., 177, 431, 591
 open immersion, 69, 301, 302, 337, 349, 350, 356, 374
 opposite ring, 1, 5, 37
 order in a K -algebra, 419
 completion, 423
 localization, 422
 maximal, 419, 421–424, 426, 430
 orthogonal idempotents, 6, 12

 Picard group, 85–87, 197, 235, 278, 280
 isomorphic to $\check{H}_{\text{et}}^1(R, \mathbb{G}_m)$, 400

- of a cone, 545
- of a cuspidal cubic curve, 88, 598
- of a graded ring, 544
- of a Laurent polynomial ring, 242, 546
- of a normal algebraic surface, 366, 380, 545
- of a polynomial ring, 234
- of a regular domain, 240
- of invertible bimodules, 274–280, 501, 520
- pointed set, 3
- polynomial function on a module, 14–16, 19, 23, 261, 409
- prime ideal spectrum, 58
- Primitive Element Theorem, 141, 143, 147, 148, 320
- primitive idempotent, 12
- progenerator module, 7, 11, 26, 85
- projective dimension, 202
- projective general linear group, 398
- projective module, 6, 25, 26, 47, 51, 559
 - indecomposable, 264
- pullback diagram, *see also* cartesian square
- purely inseparable extension, 436, 439, 442
- quasi-finite algebra, 348–350
- quaternions, 2, 119, 135, 412, 520, 607
- radical extension
 - purely inseparable, 304
 - ramified, 361–364
- ramification at a prime, 134
- ramification index, 235
- rank, 5, 67
- reduced effective divisor, 362
- reflexive lattice, 216–224, 239
 - not projective, 433–435
- reflexive module, 37
- regular local ring, 202
 - Jacobian criterion, 326, 327, 380
 - Kähler differential criterion, 325
- regular ring, 202
 - various criteria, 325–328
- regular sequence, 201
- regular system of parameters, 202
- resolution of \mathbb{Z} by free $\mathbb{Z}G$ -modules, 160, 161, 168
- resultant of two polynomials, 15, 16, 19, 23, 261, 379
- ring of differential polynomials, 303
- Rosenberg, A., 497, 513
- Saltman, D., 407, 409, 414
- Schur's Lemma, 102
- semilocal ring, 94, 368
- semisimple ring, 94, 97
- separability criterion
 - descent, 125–127
 - diagonal morphism is open, 301
 - faithfully flat descent, 297, 298
 - Jacobian criterion, 146, 300, 315
 - Kähler differentials criterion, 312, 313
 - local ring criterion, 298, 299
 - residue field criterion, 299, 300, 314
 - trace map, 148, 149, 151
 - twisted form of R^n , 153
 - vanishing of $H^1(A, M)$, 297
- separability idempotent, 117, 119–123
- separable algebra, 117
 - commutative, 146, 155
 - example
 - \mathbb{C} over \mathbb{R} , 119
 - closed immersion, 119
 - group algebra, 121
 - Kummer extension, 122
 - localization, 119
 - not étale, 120, 136, 302, 337, 338, 412
 - quaternions, 119, 135
 - ring of matrices, 120
 - trivial commutative extension, 119, 152, 558
 - finiteness criterion, 131
 - flat is formally étale, 156
 - is formally unramified, 155
 - is quasi-finite, 350
 - Jacobson radical, 145, 258
 - on an open set, 317
 - over a field, 137, 146
 - decomposition theorem, 140, 143, 380
 - over a henselian ring, 375, 380
 - progenerator criteria, 131
- separable closure, 478–484
- separable polynomial, 146, 473–478, 492
- splitting ring, 478, 483
- separably generated field extension, 317–320
- separated topological space, 107, 281, 284
- separating transcendence base, 318, 319

- Serre's Criteria for Normality, 202
- Seven Term Exact Sequence of Galois Cohomology, 513–520, 525, 546, 548, 550, 551, 554, 578, 583, 598, 612, 613
- Shapiro's Lemma, 164
- simple module, 78
- simple ring, 97, 99, 137
- singular locus, 233, 327, 380
- Skolem-Noether Theorem, 143, 144, 260, 279–280, 408, 414
- Snake Lemma, 38
- strict henselization of a local ring, 385–387
- support of a module, 316, 317
- Sylvester matrix, 15, 378
- symbol algebra, 136, 528, 531
- syzygy, 202, 239

- Taylor, J., 254
- tensor algebra of a module, 173, 176, 532
- theorem of permanence, 127, 129, 353
- topological completion of a module, 107
- trace ideal, 7
- trace map, 15, 19, 22, 148, 149, 151–154, 181, 410, 412, 463, 476, 480, 492, 493
- trace of an endomorphism, 180
- trace pairing, 22
- transitivity
 - of étale algebras, 338
 - of faithfully flat modules, 75
 - of finitely presented algebras, 337
 - of flat modules, 75
 - of formally smooth algebras, 341
 - of free modules, 8
 - of generator modules, 7
 - of progenerator modules, 7
 - of projective modules, 7
 - of separable algebras, 127
- Tsen's Theorem, 14, 286, 411, 542, 548, 600
- twisted form, 195
 - of a free module, 197
 - of a trivial extension, 197, 561, 562
 - of a trivial Galois extension, 455, 487
 - of matrices, 121, 197, 395, 407
- twisted polynomial ring, 525, 526, 535
- two-sided A/R -module, 116, 274

- valuation on a field, 204
- valuation ring, 204
- Villamayor, O., 131

- Wedderburn property, 264–266
- Wedderburn Theorem, 260–262, 286, 607
- Wedderburn-Artin Theorem, 99, 137, 141, 143, 259, 262, 413, 419
- Weibel, C., 544
- Weil divisors
 - group of, 207
 - principal, 207
- Williams, B., 419, 426

- Zariski topology, 59–61, 64, 178, 261, 321, 338, 349, 367
- Zariski's Main Theorem, 350, 351, 356, 374
- Zelinsky, D., 131